


LT12 & LT16 SERIES 2 LAWN



& MOWER ATTACHMENTS

Refer to Parts Manual #06614 for Lawn Tractor Accessory Parts.

NOTE: The Series number is the last numeral in the model number.


IT IS THE POLICY OF SNAPPER POWER EQUIPMENT TO IMPROVE ITS PRODUCTS WHENEVER IT IS POSSIBLE AND PRACTICAL TO DO SO. WE RESERVE THE RIGHT TO MAKE CHANGES OR ADD IMPROVEMENTS AT ANY TIME WITHOUT INCURRING ANY OBLIGATION TO MAKE SUCH CHANGES ON PRODUCTS MANUFACTURED PREVIOUSLY.

SNAPPER McDonough, GA., 30253 U.S.A.

COPYRIGHT © 1997 SNAPPER INC. ALL RIGHTS RESERVED

(3/97 ISSUE)

MANUAL #06514



NOTE: LAWN TRACTOR ACCESSORIES ARE LISTED IN LT MANUAL No. 06614


INDEX-MAIN COMPONENTS

ITEN	DESCRIPTION	PAGE	ITEM	DESCRIPTION	PAGE
1	HOOD	3	14	STEP PLATES, PANELS	10 & 11
2	FUEL SYSTEM	4	15	REAR WHEELS	21
3	ENGINE	8 & 9	16	TRANSMISSION, AXLE	6,16,18,19
4	GRILLE	3	17	REAR FENDER	10
5	HEAD LAMPS	3 & 20	18	CONTROLS (BRAKE/CLUTCH)_	12 & 13
6	EXHAUST	8	19	SEAT	10
7	MULE DRIVE	30	20	CENTER COVER	8
8	FRONT AXLE	14	21	DASH PANEL	5
9	FRONT WHEELS	21	22	STEERING WHEEL_	14 & 15
10	BELTS, MOWER	24 & 26	23	STEERING MECHANISM	_14 & 15
11	BATTERY	20	24	CHOKE AND	
12	MOWERS (33")	24 & 25		THROTTLE CONTROLS	4 & 5
12	MOWERS (41")		25	CHASSIS, FRAME PARTS	_8 & 9
12	MOWERS (48")	28 & 29	26	THATCHERIZER	32 & 33
13	INPLEMENT LIFT	22	27	DOZER (42")	_34 & 35
			28	REAR WEIGHT KIT	36

LT SNOW THROWER PARTS SHOWN IN MANUAL No. 06614

HOOD, GRILLE, HEADLAMPS 23 22 23 22 30 16 25 ITEM PART NO. **DESCRIPTION** 3-5047 HOOD, LT Series Tractor PARTS SHOWN HERE USED ON 1986 & EARLIER MODELS 2 1-4814 TRIM, Hood 3 1-6017 DECAL, Snapper, LT 16, L.H. (Shown) ITEM PART NO. **DESCRIPTION** 1-6015 DECAL, Snapper, LT 12, L.H. 21 9-0596 BOLT, 1/4-20 x 5/8" Hex Flange 1-6016 DECAL, Snapper, LT 16, R.H. 4 Lock, Grade 5 (4) 1-6014 DECAL, Snapper, LT 12, R.H. 9-0583 22 NUT. 1/4-20 Hex Flange Lock (12) 5 1-4815 GASKET, Grille 23 9-0803 BOLT, 1/4-20 x 5/8" Flat Head 6 3-5103 GRILLE (1987 & Later) Carriage (10) 7 3-8157 BRACE, Grille, R.H. 24 9-0477 NUT, 1/4-20 Hex FI. Top Lock (6) 8 3-8158 BRACE, Grille, L.H. 25 1-5267 DECAL, LT 12 9 1-8254 LATCH, Hood Retaining (2) 1-4816 DECAL, LT 16 10 3-2444 CLIP, Hood Retainer (2) 26 3-5049 GRILLE (1986 & Earlier) 11 1-2674 CABLE, Hood Stop (2) 27 1-2651 GASKET, Head Lamp (2) 1-5486 12 HARNESS, Head Lamp Wiring 28 1-8415 HEAD LAMP (2) (1986 & Earlier) (1987 & Later) 29 3-8083 BRACKET, Head Lamp 1-5487 13 HARNESS, Head Lamp Ground 30 1-4874 SPACER (2) Wiring (1987 & Later) 31 1-2650 GASKET, Head Lamp to 14 1-8829 HEAD LAMP (2) (1987 & Later) Bracket (2) 15 3-6117 MESH, Grille 1-9529 HARNESS, Head Lamp Wiring 32 16 1-2652 CLIP, Wiring Harness (2) (1986 & Earlier) 17 1-2691 CLIP (2) BOLT, 1/4-20 x Flat Head 33 9-0867 HINGE, Hood (2) 18 3-2398 Carriage (2) 19 1-7591 CLIP, Head Lamp Mounting (2) 3-3032 REINFORCEMENT, Bezel 20 3-3211 BEZEL, Head Lamp Mount. (2) (not shown)


FUEL TANK, PEDESTAL, DASH & HOLD DOWNS



FUEL TANK, PEDESTAL, DASH & HOLD DOWNS


ITEM	PART NO.	DESCRIPTION
1	1-9958	PANEL, Dash
2	4-9943	PEDESTAL
3	3-8143	BRACKET, Lower Dash
4	5-7334	TANK, Fuel (Includes item 7)
5	1-4363	CAP, Fuel Tank Filler
6	1-8624	HOLD-DOWN, Fuel Tank
7	1-2912	LINE, Fuel (12-1/2" Long)
8	1-2222	CLAMP, Fuel Line (2)
9	1-8254	STRAP, Tank Hold Down
10	9-0803	BOLT, 1/4-20 x 5/8" Flat Head Carriage, Grade 2
11	9-0055	WASHER, 1/4 SAE
12	9-0477	NUT, 1/4-20 Hex Flange Lock, Grade 5
13	1-8674	CONTROL, Choke Cable (29")
14	9-0361	SCREW, 5/16-18 x 5/8" Hex Washer Self-Tap (10)
15	1-8675	CONTROL, Throttle (27-3/4") (1987 & Earlier)
	1-5844	CONTROL, Throttle (B&S Twin 2) (1988 & Later, 30.0")
16	3-2444	CLIP, Hood Retainer
17	3-2296	HOLD-DOWN, Battery
18	1-4434	CLAMP, Battery
19	9-0311	WING-NUT, 1/4-20
20	9-0055	WASHER, 1/4 Flat
21	9-0853	SCREW, #10-24 x 1/2" Hex Washer Self-Tap
	6-0743	KIT, Ammeter/Hourmeter
	6-0767	KIT, Ammeter
	1-5277	HOUR METER
••	5-1609	KIT, Ammeter

DRIVE DISC, REAR AXLE COMPONENTS



DRIVE DISC, REAR AXLE COMPONENTS


ITEM	PART NO.	DESCRIPTION
1	5-9639	PRIMARY CASE (See page 18 for parts breakdown)
2	1-4396	BUSHING, Primary Clutchl
3	1-8660	BOOT, Left Side Oil seal
4	1-1037	CLAMP, Boot (4)
5	1-8770	BOOT, Right Side Oil Seal
6	9-0613	NUT, 3/8-16 Hex Flange Lock
7	1-0121	WASHER, Shim (2)
8	1-5264	SPACER, 3.312" Long x .332" ID
9	4-0529	HUB, Rear Wheel (2)
10	1-1013	BOLT, Tapered (2)
11	1-1201	NUT, 5/16-24 Hex Lock (2)
12	1-4401	LOCK-COLLAR (Includes item 13)
13	9-0201	SETSCREW, 5/16-18 x 5/16" (2)
14	5-7328	ASSEMBLY, Axle Support (includes item 15)
15	1-4400	BEARING, Ball
16	9-0361	SCREW, 5/16-18 x 5/8" Hex Washer Self-Tap (18)
17	5-9846	ASSEMBLY, Transmission (See page 16-17 for parts breakdown)
18	2-1903	COUPLING, Shift Lever
19	9-0844	ROLL-PIN, 3/16 x 3/4" (2)
20	3-2308	LEVER, HI-LO Shifter
21	1-4501	KNOB, Shifter Ball
22	1-8584	HUB, Flex Coupling (See page 8)
23	5-1418	ASSEMBLY, Drive Disc (includes items 24 thru 26)
24	1-8567	DISC, Drive
25	1-4514	BEARING, Ball
26	1-4447	BUTTON, Center
27	3-6155	SUPPORT, Bearing (Latest version requires items 32 & 33)
27a	3-6085	SUPPORT, Bearing (Early version – narrower with rear bearing holder)
28	2-1943	TUBE (Use with item 27, 4.07" Long x 1.78" ID)
28a	2-1943	TUBE, (Early version, 3.07" Long x 1.78" ID)
29	3-2396	RETAINER (Use with item 27)
30	9-0912	SCREW, 5/16-18 x 4-1/4" Hex Head Cap (2)
30a	9-0553	CAPSCREW, 5/16-18x3 Hex Head (2) (Early version)
31	9-0184	NUT, 5/16-18 Hex Center Lock Grade B or 5 (2)
32	1-3313	BEARING, Ball (2)
33	2-1972	SPINDLE, Drive Disc 6.04" Long (1.6" Machined Rear Length)
33a	2-1956	SPINDLE, Drive Disc 6.04" Long (Early version, 2.6" Machined Rear Length)
34	3-7776	WASHER, Shim
35	2-1955	SPACER, .75" ID x 1" Long



FRAME, ENGINE & DRIVE PARTS


ITEM	P ART NO .	DESCRIPTION	
1	5-7425	CHANNEL, Right Hand Frame	
2	3-8185	PLATE, Rear Cover	
3	5-7424	CHANNEL, Left Hand Frame	
4	3-5029	DRAWBAR	
5	3-6078	BRACE, Forward	
6	3-6079	BRACE, Rear Cross	
7	3-8051	CHANNEL, Front Axle Support	
8	5-9648	PLATE, Front Frame	
9	3-6067	COVER, Console	
10	1-6009	DECAL, Console Cover	
11	5-7342	BASE, Engine	
12	5-7362	ASSEMBLY, Mule Drive (See page 30 for breakdowr	1)
13	1-4856	GROMMET, Split	•
14	2-1960	SPACER, Clutch	
15	5-9637	ASSEMBLY, Clutch Retainer	
16	4-0528	BRACKET, Clutch Retainer	
17	5-3679	KIT, Electric Clutch (See page 31 for breakdown)	
18	1-9741	MUFFLER, LT 12 & LT 16 Engine	
19	1-9742	MUFFLER, LT 12 & LT 16 Engine	
20	1-4802	GASKET, Exhaust (2)	
21	0-0050	ENGINE, Briggs 16 HP Model 402437, 0696-01/12	06-01
	1-7991	ENGINE, Briggs 12 HP Model 404437, 0110-01/12	
22	1-4338	DISC, Flex Coupling (2)	
23	1-8626	HUB, Flex Coupling (2)	
24	2-1944	SHAFT, Drive (22.62" x .75")	
25	9-0848	SET-SCREW, 5/16-18 x 1/2" Square Head (4)	
26	1-8584	HUB, Flexible Coupling (Threaded center)	
27	1-4803	SPACER, Flexible Coupling (2)	
28	9-0138	SCREW, 3/8-16 x 1", Hex Head Cap, Grade 2 (6)	
29	3-2070	WASHER, 3/8 Flat (8)	
30	9-0546	NUT, 3/8-16 Hex Center Lock, Grade B or 5 (6)	
31	9-0143	SCREW, 3/8-16 x 1-1/4" Hex Head Cap, Grade 5 (2)	
32	9-0118	WASHER, 3/8 Split Lock (5)	
33	9-0603	SCREW, 3/8-16 x 7/8", Hex Head Cap, Grade 5 (2)	
34	9-0187	WASHER, 5/16 Split Lock (4)	
35	9-0324	SCREW, 3/8-16 x 1" Hex Washer Self-Tap (2)	
36	9-0826	SCREW, 1/2-20 x 4" Hex Head Cap, Grade 5	
37	9-0196	NUT, 5/16-18 Hex (2)	
38	1-4438	HOOK, Hood Latch (2)	
39	9-0585	NUT, 5/16-18 Hex Flange, Grade 5 (2)	
40	9-0362	SCREW, 1/4-20 x 5/8" Hex Washer Self-Tap	
41	1-3847	RETAINER, 3/8 Bolt	
42	3-2298	STOP, Axle (2)	
43	1-3946	RETAINER, 3/8 Shaft (4)	
44	9-0361	SCREW, 5/16-18 x 5/8" Hex Washer Self-Tap (36)	
45	9-0612	BOLT, 3/8-16 x 3/4" HeX Flange Lock 6)	
46	9-0613	NUT, 3/8-16 Hex Flange Lock (4)	
47	9-0919	PUSH-NUT, 1/2 (2)	
48	9-0072	SCREW, 1/4-20 x 5/8" Hex Head Cap (4)	
49	9-0052	WASHER, 1/4 Split Lock (4)	
50	1-2392	PIN, 1/4 x 7/8" Clevis (2)	*Purchase engine parts, other
51	9-0393	NUT, 1/2-20 Hex Nyloc	than those shown here from
52	1-4804	RELIEF, Strain	Briggs and Stratton Service
53	9-0523	SCREW, 3/8-24 x 1-5/8" Hex Head Cap, Grade 5	outlet.
54	9-0905	WASHER, .406 I.D.	
55	1-2431	PIN, 1/4 Hair	*Engine Drain Plug requires a 1/4" allen wrench.
91746	SEDIES 2		a 1/4 allen wrench.

SEAT, STEP PANELS & REAR FENDER




SEAT, STEP PANELS & REAR FENDER

ITEM	PART NO.	DESCRIPTION
1	1-9964	SEAT, Operator's
2	5-9841	ASSEMBLY, Seat Suspension (Includes Items 26 thru 40)
3	3-5071	FENDER, Rear
4	3-8089	DETENT, Shift
5	1-4506	DECAL, Speed Shift
6	1-8593	DECAL, SNAPPER
7	1-4505	DECAL, HI-LOW RANGE (Shift)
8	3-9932	EXTENSION, Right Side Fender
9	3-5016	PANEL, Right Side Step
10	1-8602	TREAD, Right Side (Non-Skid)
11	3-9931	EXTENSION, Left Side Fender
12	3-5015	PANEL, Left Side Step
13	1-8603	TREAD, Left Side (Non-Skid)
14	1-4856	GROMMET, Split
15	9-0208	BOLT, 5/16-18 x 1" Square Neck Carriage (4)
16	1-1791	RETAINER, 5/16 Bolt (4)
17	1-3848	WASHER, 5/16 (8)
18	9-0184	NUT, 5/16-18 Hex Center Lock, Grade B or 5 (2)
19	1-4848	WING-NUT, 5/16-18
20	9-0721	BOLT, 5/16-18 x 1/2" Hex Flange Lock, Grade 5 (8)
21	9-0731	BOLT, 5/16-18 x 1/2" Short Neck Carriage, Grade 5 (6)
22	9-0585	NUT, 5/16-18 Hex Flange Lock, Grade 5 (10)
23	9-0361	SCREW, 5/16-18 x 5/8" Self-Tap (14)
24	9-0005	BOLT, 1/4-20 x 1/2" Short Neck Carriage, Grade 5 (4)
25	9-0583	NUT, 1/4-20 Hex Flange Lock (4)
26	4-9720	WELDMENT, Seat Hinge
27	3-6119	ANGLE, L.H. Mounting
28	3-6118	ANGLE, R.H. Mounting
29	4-7838	WELDMENT, Seat Hinge
30	1-4845	SPRING, Seat (2)
31	1-4844	ROD, Adjusting
32	3-2399	RETAINER, Spring
33	2-1947	PIN, Seat Tilt Hinge
34	2-1948	PIN, Seat Tilt Hinge
35	1-4850	WING-NUT, 1/2-13
36	1-3946	PUSHNUT, 3/8 (4)
37	2-1946	PLUNGER
38	1-4846	SPRING, Compression
39	9-0037	PIN, 3/32 x 3/4" Cotter
40	9-0843	GROOVED PIN, 3/16 x 1-3/4"
41	3-8186	COVER, Access
42	9-0858	SCREW, 5/16-18 x 1/2" Hex Washer Self-Tap (2)
43	1-4921	DECAL, Seat Adjustment




CLUTCH, BRAKE & TRANSMISSION CONTROLS

ITEM	PART NO.	DESCRIPTION	ITEM	PART NO.	DESCRIPTION
1	4-0494	SHIFTER, Transmission	38	9-0037	PIN, 3/32 x 3/4" Cotter (2)
2	1-4501	KNOB, Shifter	39	1-3324	FITTING, Lube
3	4-0486	PIVOT, Shift	40	9-0361	SCREW, 5/16-18 x 5/8" Hex
4	1-4442	SPRING, Shift Detent			Flange Self-Tap
5	5-1610	ARM, Shifter (Incl. Item 39)	41	9-0606	BOLT, 5/16-18 x 5/8" Hex
6	1-4441	LINK, Shift-Long (8.53")			Flange Lock
7	3-2257	ARM, Shift Adjusting	42	9-0188	WASHER, 5/16 SAE
8	4-7828	ARM, Shift	43	9-0187	WASHER, 5/16 Split Lock
9	1-4337	LINK, Shift-Short	44	1-4659	SPRING
10	3-8046	STRAP, Upper Cross	45	9-0223	NUT, 5/16-24 Hex
11	3-8100	STRAP, Brake Pivot Support	46	9-0595	BOLT, 5/16-18 x 3/4" Hex
12	3-8084	STRAP, Lower Cross			Flange Lock.
13	1-4528	SPRING, Reverse Assist (15 Coil)	47	9-0585	NUT, 5/16-18 Hex Flange
14	3-2315	RETAINER (PLATE), Clutch			Lock, Grade 5
		Yoke Bushing	48	9-0612	BOLT, 3/8-16 x 3/4" Hex
15	1-4396	BUSHING, Clutch Ball			Flange Lock
16	3-6077	YOKE, Clutch	49	9-0613	NUT, 3/8-16 Hex Flange Lock
17	1-4327	BUSHING, Yoke Pivot-Short	50	9-0122	WASHER, 3/8 SAE Flat
18	1-4328	BUSHING, Yoke Pivot-Long	51	1-1968	ROLLER, Shift Arm
19	1-2661	PAD, Pedal	52	1-0935	WASHER, Shim (2)
20	3-6086	PEDAL, Clutch Brake	53	9-0356	JAM-NUT, 5/8-18
21	1-4435	BEARING, Sleeve (2)	54	3-1036	WASHER, Thrust
22	5-1483	BRACKET, Pedal Pivot	55	9-0849	SCREW, #10-24 x 1" Self-Tap
		(Includes two item 21)	56	1-1016	BEARING, Nylon (2)
23	1-8524	SWITCH, Clutch Interlock	57	9-0539	SCREW, 1/4-20 x 1/2" Hex
24	4-0514	ARM, Clutch/Brake			Flange Self-Tap (5)
25	1-4752	SPRING, Clutch/Brake	58	9-0506	SCREW, 3/8-16 Hex Flange
26	1-7432	CABLE, Clutch/Brake (36.0")			Self-Tap
27	3-8142	LEVER, Parking Brake	59	1-1780	RING
28	1-4754	STUD, Parking Brake	60	9-0477	NUT, 1/4-20 Small Flange
29	1-4755	SLEEVE, Parking Brake			Lock
30	3-2324	LEVER, Brake Pivot	61	9-0390	WASHER, 3/8 Internal
31	3-2335	SUPPORT, Brake Pivot			Tooth Lock
32	4-0542	DRUM, Brake	62	9-0130	NUT, 3/8-16 Hex, Grade 5
33	5-7340	BAND, Brake	63	9-0222	NUT, 5/16-24 Hex Center
34	1-4539	PIN, 3/8 x 2-9/16" Clevis			Lock
35	1-4538	PIN, 1/4 x 1-13/16" Clevis	64	3-2433	BRACKET, Mounting- Rear
36	1-0121	PIN, 3/8 x 1-1/4" Clevis			Fender (2)
37	1-3878	ROLL-PIN, 3/16 x 1-1/4" (2)	65	3-2446	CLIP, Spring Attach
			66	9-0661	BOLT, 5/16-18 x 1" Hex Flange Lock
			67	1-5291	CLIP, Spring Retainer



STEERING & FRONT AXLE PARTS

ITEM	PART NO.	DESCRIPTION
1	1-8589	STEERING WHEEL
2	1-4437	ROLL-PIN, 1/4" x 2-1/4"
3	1-8601	ACTUATOR, Steering Lock
4	1-4362	RING, 13/16" External Retaining
5	1-4402	SPRING, Actuator
6	1-4430	COVER, Slide
7	3-2272	RISER, Steering Lock
8	1-8583	BUSHING, Steering Lock
9	2-7646	SHAFT, Steering (Current Models)
10	1-8568	PINION, Steering
11	9-0841	ROLL-PIN, 3/16 x 1-1/2"
12	5-7363	ASSEMBLY, Bearing Support (Incl. Items 13 & 14)(Current Models)
13	1-4436	BEARING, Flange
14	1-4435	BUSHING
15	1-3864	FITTING, Lube (5)
16	9-0870	SNAP-RING, 5/16 (Current Models)
17	1-4358	PIVOT (2)
18	9-0391	WASHER, 5/16 Internal Tooth Lock (2)
19	9-0793	SCREW, 5/16-18 x 3/4" Hex Washer Self-Tap (2)
20	1-2706	BEARING (2)
21	1-9717	QUADRANT, Steering
22	5-1457	ASSEMBLY, Sector (Includes two item 20, one item 15)
23	9-0072	SCREW, 1/4-20 x 5/8" Hex Head Cap, Grade 5 (3)
24	9-0372	NUT, 1/4-20 Hex Center Lock, Grade B or 5 (3)
25	1-0027	NUT, 3/4-16 Hex Jam
26	1-9724	DRAG-LINK
27	1-8621	ARM, Steering
28	9-0842	ROLL-PIN, 1/4 x 1-1/4"
29	5-7366	ASSEMBLY, Front Axle (Includes six item 20, three item 15)
30	2-1882	JOURNAL, Axle
31	4-7812	KING-PIN, Right Side
32	4-7813	KING-PIN, Left Side
33	3-1036	WASHER, Thrust (2)
34	1-0746	RING, 3/4" External Retaining (2)
35	1-0745	BALL-JOINT (2)
36	1-4403	TIE-ROD
37	9-0118	WASHER, 3/8" Split Lock (2)
38	9-0155	NUT, 3/8-24 Hex, Grade 2 (2)
39	9-0364	COTTER-PIN, 5/32 x 1" (2)
40	9-0254	WASHER, 1/2 Split Lock (2)
41	9-0265	NUT, 1/2-20 Hex, Grade 2
42	9-0826	SCREW, 1/2-20 x 4" Hex Head Cap, Grade 5
43	9-0393	NUT, 1/2-20 Hex Thin Lock
44	1-3866	WASHER, 3/8" I.D. Flat
45	9-0863	WASHER, 3/4" I.D. Flat
46	9-0281	NUT, 3/4-16 Hex
47	6-0704	BAG, Hardware (Includes items 2 and 1-1024 Cap Plug)




MANUAL No. 06514 (3/97)


LT 12 & LT 16 SERIES 2

TRANSMISSION ASSEMBLY PARTS

ITEM	PART NO.	DESCRIPTION
1	5-9846	ASSEMBLY, TRANSMISSION (Includes items 2 thru 56)
2	5-7416	COVER, Transmission (Includes item 35,36,37,47 & 49)
3	5-1427	ASSEMBLY, Hex Tube (Short)(Includes items 4 thru 7)
4	1-1178	BEARING, Needle (2)
5	1-4470	RING, Retaining (2)
6	5-1455	TUBE, Hex (Includes two item 4)
7 8	1-4448	SPROCKET, 46 Tooth (#35) RACE, Bearing
9	2-1898 3-2255	THRUST WASHER
10	4-0499	CLUSTER GEAR
11	1-4490	CHAIN, 56 Pitch (#35)
12	2-7647	SHAFT, Third Reduction (6.027" Long)
13	1-8596	GEAR, 67 Tooth, 12 Pitch
14	1-8598	SPROCKET, 10 Tooth (#50)
15	1-8597	GEAR, 47 Tooth, 12 Pitch
16	1-0690	SHIM WASHER (2)
17	1-0756	BEARING (2)
18	5-1584	ASSEMBLY, Drive Hex Tube
19	1-0211	KEY, Woodruff (#9)
20	1-0988	SPECIAL WASHER (Hex Insert)
21	5-1607 *	SHAFT, Drive Tube Support
22		DIFFERENTIAL (See Page 19 for Breakdown)
23 24	1-4444 1-4446	CHAIN, 42 Pitch (#50) SPECIAL WASHER *Not available assembled as shown
2 4 25	1-1817	OIL SEAL (2) **Older units not updated
26	3-1732	CAP, Seal
27 27	1-1037	CLAMP, 1-7/8" Hose
28	2-1899	SPACER, Bearing (.280" thick, use with 1-4400
	3-2107	SPACER, Bearing (.145" thick; use with 1-8822)
29	1-4400	BEARING
29A	1-8822	BEARING, Rear Axle (.957" thick)
30	1-4401	COLLAR, Lock
31	1-4541	CAP, Dust Seal
32	1-4542	CLAMP, For 2.69" Hose
33	3-2309	ROD, (HI-LO Range) Shift
34	5-7330	ASSEMBLY, HI-LO Shifter (Includes Items 35 thru 39)
35	1-5219	SEAL, Oil
36 37	1-4514	BEARING ASSEMBLY Receipe Retainer
37 39	5-1586 1 4509	ASSEMBLY, Bearing Retainer
38 39	1-4508 1-5017	"O"-RING RING, Tolerance
40	2-1901	GUIDE-PIN, Shift
41	1-9962	GASKET, Cover to Case
42	5-7417	ASSEMBLY, Transmission Case (Incl. items 17,29,47,48 & 49)
	5-7449	ASSEMBLY, Transmission Case (Incl. Items 29A, 46 & 57)
43	1-1024	PLUG, Oil Fill & Check (2)
44	9-0362	SCREW, 1/4-20 x 5/8" HWF Self Tap (18)
45	9-0584	BOLT, 1/4-20 x 1/2" HWF (2-Locating)
46	9-0583	NUT, 1/4-20 Hex Flange Lock (for item 45)
47	1-5218	"O"-RING (2)
48	5-1585	ASSEMBLY, Bearing Retainer
49	9-0583	NUT, 1/4-20 Hex Flange Lock (6)
50 54	1-5041	SPACER, Brake Shaft (2)
51 50	9-0499	NUT, 3/8-16 Hex Top Lock
52 53	9-0134	SCREW, 3/8-16 x 3/4" Hex Head Cap, Grade 5
53 54	9-0118	WASHER, 3/8 Split Lock
54 55	9-0810	SCREW, 3/8-16 x 3-1/4" Hex Head Cap
55 56	2-1903	COUPLING, Shift Lever ROLL-PIN, 3/16 X 3/4"
56 57	9-0844 1-5799	GASKET, Bearing Retainer
31	1-3133	Onone I, bearing iteration




REAR AXLE-DIFFERENTIAL




DIFFERENTIAL PART OF TRANSMISSION ASSEMBLY-SEE PAGE 16.

SHIFTER ASSEMBLY



ITEM	PART NO.	DESCRIPTION
1	5-7330	ASSEMBLY, HI-LO SHIFTER (Includes Items 2 thru 6)
2	4-7833	FORK, Shift
3	1-4469	BALL, Detent
4	1-4500	SPRING, Detent Ball
5	2-1900	GUIDE-PIN, Detent
6	9-0842	ROLL-PIN, 1/4x1-1/4

SHIFTER PART OF TRANSMISSION ASSEMBLY-SEE PAGE 16.




ITEM	PART NO.	DESCRIPTION	ITEM	PART NO.	DESCRIPTION
1	1-9743	HARNESS, Wiring	17	1-4870	WIRE, Seat Switch to Ground
2	2-3235	HARNESS, Diode	18	1-4477	CABLE, Solenoid/Starter (36")
3	1-4847	SWITCH, Seat Interlock (NO)	19	1-4478	WIRE, Breaker to Solenoid
4	6-0618	BATTERY 12V. 30 Amp Hour	20	1-8524	SWITCH, Clutch Interlock (NO)
5	1-4475	CABLE, Negative (Black)	21	1-9529	HARNESS, Headlamp
6	1-2444	COVER, Positive Terminal	22	1-8415	HEAD-LAMP (2)
7	1-4476	CABLE, Solenoid/Starter(11")	23	9-0074	BOLT, 1/4-20 X 3/4" Carriage
8	1-3941	CIRCUIT-BREAKER 20 AMP	24	9-0311	WING-NUT, 1/4-20 (2)
9	1-8623	SWITCH, Headlamp (NO)	25	9-0362	SCREW, 1/4-20 X 5/8" Hex
10	1-8604	SOLENOID			Washer Self-Tap (2)
11	1-8562	KEYSWITCH (Incl. item 12)	26	9-0053	WASHER, 1/4 Int. Tooth Lock
12	1-1138	KEY (Set of 2)	27	9-0063	NUT, 1/4-20 Hex (2)
13	1-9545	SWITCH, PTO	28	1-2686	NUT, Special 1/2-27 Hex
14	1-8571	MODULE, Interlock	29	9-0307	SCREW, #10-24 x 1/2" Hex
15	1-4451	TIE, Wire			Washer Face Self-Tap (2)
16	1-2080	TIE, Cable	30	1-2685	NUT, Special 5/8-32 Hex
			31	1-5208	HARNESS, Module Repair
					·

FRONT WHEELS

1 ASSEMBLY


ITEM	PART NO.	DESCRIPTION
1	5-1372	ASSEMBLY, Front Tire & Rim (Includes items 2, 3, & 4)
2	1-9718*	RIM, LT16 Front Wheel
3	1-4350	TIRE, 15 x 6.00 x 6
4	1-2234	VALVE, Air
5	1-3876	FITTING, Lube
6	1-4483	BEARING, Wheel (2)
7	3-2027	WASHER, 49/64 x 1-1/2" Flat
8	1-1022	COVER, Dust
9	9-0364	PIN, 5/32 X 1" Cotter



				REAR WHEELS
ITEM	PART NO.	DESCRIPTION	()—9	1 ASSEMBLY
1	5-1606	ASSEMBLY, Rear Tire & Rim (Includes items 2, 3 & 4)	5 7	
2	1-9777	RIM, LT16 Rear Wheel		
3	1-5326	TIRE, 21 × 7.00 × 10		
4	1-2234	VALVE, Air	0	
5	4-0529	HUB, Rear Wheel		
6	1-1013	BOLT, Tapered	6	
7	1-1201	NUT, 5/16-24 Lock		
8	9-0367	BOLT, Lug (1/2-20 x 3/4" HHCS)		-
9	1-5266	HUB-CAP		
			4 '3	-

^{*(}Rim Includes one item 5 & two item 6)

IMPLEMENT LIFT PARTS



MANUAL No. 06514 (3/97)

LT 12 & LT 16 SERIES 2

IMPLEMENT LIFT PARTS

IMPLEMENT LIFT PARTS

ITEM	PART NO.	DESCRIPTION
1	4-7868	ARM, Implement Lift Lever
2	3-2435	ROD, Lift Lever
3	1-4361	CAP, Lift Release
4	1-3948	GRIP, Handle
5	4-9725	ARM, Rear Lift (1985)(22")
6	3-2239	BRACKET, Hanger (2)
7	3-2266	LIFT-ROD
8	1-8289	BEARING, Sleeve (2)
9	5-1523	PIVOT ASSY, Lift Lever
		(Incl. Two item 8 & one item 21)
10	4-7806	LEVER-ARM
11	1-5019	PLUG, Rod
12	9-0250	WASHER, 1/2 SAE (2)
13	1-5020	RING, 7/8" Ext. Retaining
14	3-8063	QUADRANT, Lift Lever
15	1-3250	KEY, 1/4 x 1/4 Square
16	9-0881	PIN, 3/16 x 2" Groove
17	9-0612	BOLT, 3/8-16 x 3/4" Hex
		Flange Lock (2)
18	9-0613	NUT, 3/8-16 Hex Flange Lock
19	9-0361	SCREW, 5/16-18 x 5/8" Hex
		Washer Face Self-Tap (4)
20	9-0506	SCREW, 3/8-16 x 1/2" Hex
		Washer Face Self-Tap (4)
21	1-3864	FITTING, Lube
22	9-0041	PIN, 1/8 x 1" Cotter
23	1-4432	SPRING, Lift Handle
24	3-2763	TAB (2)
25	9-0005	BOLT, 1/4-20 x 1/2" Short Neck
26	9-0583	Carriage, Grade 5 (2) NUT, 1/4-20 Hex Flange Lock (2)


9-0122 FLAT WASHER 1-5067 HAIRPIN 1-2743

CLEVIS PIN 5.1525 **ASSEMBLY** 9-0665. JAM-NUT


REAR LIFT ARM

DECK HANGER DETAIL

HARDWARE BAG 6-0591 (33,41,48" DECK)




FRONT LIFT ARM



FRONT LIFT BRACKET

33" MOWER ATTACHMENT




MANUAL No. 06514 (3/97)

LT 12 & LT 16 SERIES 2


ATTACHMENT

ITEM	PART NO.	NO. DESCRIPTION		PART NO.	DESCRIPTION
1	1-4799	BELT, 33" Mower Drive (A101)	34	1-9523	BLADE, 33" Cutter Deck
2	5-7362	ASSEMBLY, Mule Drive (See	35	6-0480	KIT, Air Lift (Incl. two 3-7723 &
	Page 30 for parts breakdown)				six each items 36, 37, 38)
3	1-8574	PULLEY, Idler (Flat)(4.12O.D.)	36	9-0228	SCREW, 5/16-24 Machine (6)
4	3-2341	GUIDE, Belt	37	9-0391	WASHER, 5/16 Internal Tooth
5	4-7841	ARM, Idler			Lock (6)
6	1-4405	SPRING, Belt Tension	38	9-0223	NUT, 5/16-24 Hex (6)
7	1-0027	NUT, 3/4-16 Hex Jam	39	9-0509	WASHER, 1/2" Internal Tooth
8	1-8581	PULLEY, 8" O.D.			Lock (2)
9	3-8018	BRACE, Spindle	40	1-2670	RING, Tolerance
10	1-4756	BUMPER BUTTON	41	4-7870	WELDMENT, Front Lift Arm
11	3-5068	DECK, 33" Cutter	42	3-8194	RAIL- 33"
12	5-1533	ASY, Bracket Rear Lift (2)	43	3-2432	LINK- ADJUSTMENT
13	1-4416	DECAL, Caution,	44	9-0122	WASHER, 3/8 Flat (3)
		(Deflector/Adapter)	45	9-0118	WASHER, 3/8 Split Lock
14	1-0935	WASHER, Shim (2)	46	9-0850	3/8-16 BOLT, x 3/4" Carriage
15	5-1525	ASSEMBLY, 3/8 Bolt-Chain (2)	47	9-0130	NUT, 3/8-16 Hex (2)
16	1-4355	CABLE, Front Lift (8.0")	48	1-5012	RING, Adjustment
16A	1-5629	CABLE, Front Lift (8.32")	49	9-0563	SCREW, 3/8-16 x 1" HHC (2)
17			50	9-0001	BOLT, 5/16-18 x 3/4" Short
18				0.0400	Neck Carriage, Grade 5
19	5-1456	DEFLECTOR (Incl. item 20)	51	9-0492	WING-NUT, 5/16-18
20			52	1-4583	STUD, Deck Stop
21	3-9586 HINGE, Side Chute		53	9-0164	SCREW, 3/8-24 x 1-1/2"
22			54	0.000	Hex Head Cap, Grade 2
23	5-9619	ASSEMBLY, Spindle (Includes	5 4 55	9-0289 9-0388	NUT, 3/8-24 Hex Center Lock T-NUT, 5/16-18
24	5-1529	items 24 thru 33) HOUSING, Spindle (Includes	56	9-0355 9-0155	NUT, 3/8-24 Hex
24	5-1529	#33)	50 57	1-0740	RING, Retaining (2)
25	2-7631	\$PINDLE, 33" Mower (7.75")	58	9-0612	BOLT, 3/8-16 x 3/4" Hex
26	1-3313	BEARING, Spindle (2)	36	9-0012	Flange Lock (17)
27	1-2491	RING, Retaining	59	9-0613	NUT, 3/8-16 Hex Flange
28	1-4407	WASHER, Spindle	33	3-0013	Lock (17)
29	3-7751	HOLDER, Blade	60	9-0721	BOLT, 5/16-18 x 1/2" Hex
30	9-0356	NUT, 5/8-18 Hex Ctr. Lock		3-0721	Flange Lock, Grade 5 (4)
31	9-0392	SCREW, 1/2-20 x 1" Hex	61	9-0665	NUT, 3/8-16 Hex Jam(2)
31	3-003Z	Head Cap, Grade 5 (4)	62	1-5067	PIN, Hair Cotter
32	9-0559	NUT, 1/2-20 Hex Jam (4)	63	9-0390	WASHER, 3/8 Int. Tooth Lock
33	1-0817	FITTING, Lube (2)	"	5-0030	TACHEN, 0/0 IIIC 10001 LOCK
55	1-0017	1111110, Lube (2)			



ITEM	PART NO.	DESCRIPTION	ITEM	PART NO.	DESCRIPTION
1	1-4800	BELT, 41" Mower (A137)	34	1-3871	DECAL, Danger (Cut Finger)
2	5-7362 ASSEMBLY, Mule Drive (See		35 36	1-4852	DECAL, Caution (Deflector)
		pg. 30 for part breakdown)		1-4853	DECAL, Caution (Rot. Blades)
3	1-4397	PULLEY, 5-3/4" O.D. (2)	37	1-2670	RING, Tolerance, 3/4" (2)
4	3-8080	GUARD, Pulley (2)	38	5-1473	ASY, Spindle (refer to pg. 28)
5	3-8078	BRACE, Spindle (2)	39	1-9710	BLADE, 21" Cutter (2)
5 6 7	4-9724	ASY, Front Lift Arm	40	9-0824	SCREW, 3/8-24 x 1-1/4" Hex
	9-0665	JAM-NUT, 3/8-16 Hex (2)			Head Cap, Grade 5 (3)
8	3-8181	BRACKET, Right Front	41	1-2063	CONE-WASHER (4)
9	9-0122	WASHER, 3/8 Flat (3)	42	9-0136	BOLT, 3/8-16 x 3/4" Square
10	9-0118	WASHER, 3/8 Split Lock			Neck Carriage, Grade 2 (9)
11	9-0563	SCREW, 3/8-16 x 1" Hex Head	43	9-0612	BOLT, 3/8-16 x 3/4" HFL (9)
12	9-0850	BOLT, 3/8-16 x 3/4" Square	44	9-0483	SCREW, 3/8-24 x 1-3/4" Hex
		Neck Carriage, Grade 5			Head cap, Grade 5 (2)
13	3-2432	LINK, Adjustment	45	9-0613	NUT, 3/8-16 Hex FI. Lock (18)
14	1-5012	RING, Adjustment	46	9-0289	NUT, 3/8-24 Hex Ctr. Lk.(12)
15	9-0130	NUT, 3/8-16 Hex (2)	47	9-0820	NUT, 3/4-16 Jam Lock (2)
16	1-4355	CABLE, Front Lift	48	9-0741	SCREW, 1/4-20 x 5/8" HWST
17	3-8043	BRACKET, Fr. Lift Arm Hanger	49	9-0799	BOLT, 5/16-18 x 5/8" Square
18	9-0388	T-NUT, 5/16-18			Neck Carriage, Grade 5 (8)
19	1-8585	PULLEY, 4.1 O.D. (2)	50	9-0721	BOLT, 5/16-18 x 1/2" Hex
20	1-4408	STUD, Idler (3/8-24)	l		Flange Lock, Grade 5 (2)
21	9-0041	COTTER-PIN, 1/8 x 1"	51	9-0585	NUT, 5/16-18 Hex Flange
22	5-1399	ASY, Idler Arm (Incl. two			Lock, Grade 5 (11)
		1-4409 bushings & 1-3864)	52	9-0600	WASHER, 7/16 SAE
23	1-4410	GUIDE, Belt	53	9-0183	WASHER, 5/8 Flat
24	1-4513	SPRING, Idler Arm	54	1-0935	WASHER, Spacer
25	3-8079	BRACKET, Idler	55	1-1791	RETAINER, 5/16 Bolt (2)
26	3-2297			9-0375	WING-NUT, 5/16-18 (2)
27	5-1525			1-2929	PAD
28	5-1532	BRKT, Rear Rt. Supp. (1985)	58	9-0167	SCREW, 3/8-24 x 2" Hex
29	5-7385	BRKT, Rear Left Supp. (1985)			Head Cap, Grade 5
30	4-9960	MOWER DECK, 41"	59	9-0187	WASHER, 5/16 Split Lock (2)
31	1-5273	WHEEL, GAGE (2)	60	1-5272	SPACER (use with #32B)(2)
32A	1-4472	PIN, 1/2 O.D. (Gage Wheel,			, , , ,
		item 31, on early prod.) (2)			
32B	9-0859	SCREW, 3/8-24 x 3-3/4" Hex			
		Head Cap, Grade 5 (2)	ł		
33	5-1401	DEFLECTOR, (Side Chute)			
		(Includes Decal, item 34)	•		

48" MOWER ATTACHMENT




MANUAL No. 06514 (3/97)


LT 12 & LT 16 SERIES 2

ITEM	PART NO.	DESCRIPTION	ITEM	PART NO.	DESCRIPTION
1	4-9961	DECK STRUCTURE- 48"	36	9-0041	PIN, 1/8 x 1" Cotter
2	4-9724	ARM, Front Lift	37	9-0169	SCREW, 3/8-24 x 2-1/2"
2 3	3-2297	BRACKET, Front Hanger			Hex Head Cap
4	5-7384	SUPPORT, Rear Right (1985)	38	9-0136	BOLT, 3/8-16 x 3/4" Square
5	5-7383	SUPPORT, Rear Left (1985)			Neck Carriage, Grade 2 (9)
6	3-8078	BRACE, Spindle (3)	39	9-0167	SCREW, 3/8-24 x 2" Hex
7	3-5054	GUARD, Pulley (2)			Head Cap, Grade 5
8	1-5273	ROLLER (2)	40	9-0859	SCREW, 3/8-24 x 3-3/4" Hex
9	1-5272	SPACER (2)			Head Cap, Grade 5 (2)
10	5-1475	ASSEMBLY, Idler Arm	41	9-0799	BOLT, 5/16-18 x 5/8" Square
11	3-8156	IDLER ARM, Center			Neck Carriage, Grade 5 (4)
12	1-4805	WASHER- Square	42	9-0289	NUT, 3/8-24 Hex Ctr. Lock (8)
13	1-4801	V-BELT, Drive- A92	43	9-0613	NUT, 3/8-16 Hex Fl. Lock (22)
14	2-4497	BELT, Deck- AA105	44	9-0820	NUT, 3/4-16 Hex Jam (3)
15	1-4545	PULLEY, Double (4-3/4")	45	9-0585	NUT, 5/16-18 Hex FI. Lock (4)
16	1-8585	PULLEY, Flat Idler (4.8 O.D.)	46	9-0183	WASHER, 5/8 SAE
17	1-8651	PULLEY, V-Idler (4-1/2" O.D.)	47	9-0122	WASHER, 3/8 SAE (2)
18	1-4544	PULLEY, 4-3/4" O.D. (2)	48	5-1401	ASSEMBLY, Side Chute
19 20	1-9733	BLADE, 16.5 (3)	49	1-3010	(Includes item 49) DECAL, Danger
20	5-1473	ASSEMBLY, Spindle (2)	50	9-0118	WASHER, 3/8 Split Lock (2)
21	5-1528	(See page 30 for breakdown) ASSEMBLY, Spindle (See	51	9-0187	WASHER, 5/16 Split Lock (2)
21	3-1326	page 31 for breakdown)	52	9-0375	WING-NUT, 5/16-18 (2)
22	1-2670	TOLERANCE RING, 3/4" (3)	53	1-0935	WASHER, 3/4 I.D. (4)
23	1-4408	IDLER STUD	54	1-1791	RETAINER, 5/16 Bolt (2)
24	1-4513	SPRING (2)	55	1-4852	DECAL, Caution
25	1-4410	BELT GUIDE	56	1-4853	DECAL, Caution
26	3-2368	BELT GUIDE	57	9-0130	NUT, 3/8-16 Hex (2)
27	2-1945	SPACER		9-0850	BOLT, 3/8-16 x 3/4" Short
28	9-0788 BOLT, 5/16-18 x 3/4" Short		58		Square Neck Carr., Gr. 2
		Square Neck, Grade 5	59	9-0563	SCREW, 3/8-16 x 1" Hex Head
29	1-4795	WASHER, Plastic (2)			Cap, Grade 5
30	1-0740	RING, 2" Ext. Retaining (2)	60	1-5012	RING, Adjustment
31	9-0824	SCREW, 3/8-24 x 1-1/4"	61	3-8181	BRACKET, Right Front
		Hex Head Cap, Grade 5 (4)	62	3-2432	LINK, Adjustment
32	9-0164	SCREW, 3/8-24 x 1-1/2"	63	1-8445	WHEEL, 6.00" Gage (2)
		Hex Head Cap, Grade 2	64	1-3844	PIN, Hair Cotter (2)
			65	1-4857	PIN, 1/2 x 3" Clevis (2)
33	1-2063	WASHER, Cone (6)	66	5-1525	ASSEMBLY, Bolt/Chain (2)
34	1-4527	SPACER (2)	67	1-4355	CABLE, Front Lift (8")
35	9-0612	BOLT, 3/8-16 x 3/4" Hex	67A	1-5629	CABLE, Front Lift (8.32*)
		Flange Lock (13)	68	3-8043	BRACKET, Front Lift Hanger
			69	9-0388	T-NUT, 5/16-18
			70	9-0665	NUT, 3/8-16 Hex Jam (2)
			1		

MULE DRIVE ASSEMBLY




SPINDLE ASSEMBLY (41" & 48" OUTBOARD)




MANUAL No. 06514 (3/97)

LT 12 & LT 16 SERIES 2

SPINDLE ASSEMBLY (48" CENTER)



ELECTRIC CLUTCH ASSEMBLY



4

5

1-4949


9-0854

1-4950

NUT, 3/8-24 Hex Nylok (3)


COIL SPRING (3)

ASSEMBLY, Arm-Pulley (Includes Ball Bearing)




ITEM	PART NO.	DESCRIPTION
1	1-9947	TRAY, Tine
2	1-8491	TINE, Thatching (8)
3	1-8700	SUPPORT, Wheel
4	1-8493	AXLE
5	1-8189	WHEEL, Gauge
6	1-4110	ROD, Tine (2)
7	1-4778	BRACKET, Frame Mounting (2)
8	1-9750	BAR, Tractor Mounting, RH
9	1-9749	BAR, Tractor Mounting, LH
10	1-4781	ASSEMBLY, Main Frame Weldment
11	1-4783	ROD, Mounting
12**	1-4113	LATCH, Frame Mount (2)
13	1-8666	BRACKET, Lift
14	1-8664	HANDLE, Lift
15	1-8665	BRACKET, Lift Handle Support
16**	1-4780	STRAP, Handle Retaining
17*	9-0383	BOLT, 5/16-18 x 1"Square Neck Carriage, Grade 5 (17)
18*	1-4098	WASHER, Reinforcing (8)
19*	9-0187	WASHER, 5/16 Split Lock (17)
20*	9-0196	NUT, 5/16-18 Hex (19)
21**	1-4342	BEARING, Nyliner (4)
22**	1-4100	BUSHING, Wheel Adjustment
23**	1-4103	SCREW, 5/16-18 x 1/4" Set
24**	1-4101	NUT, 1/2" Push (2)
25*	9-0250	WASHER, 1/2 SAE (2)
26*	9-0761	NUT, 1/4-20 Hex Top Lock (8)
27*	9-0015	BOLT, 1/4-20 x 1-3/4" Square Neck Carriage (2)
28**	1-4114	SPING, Compression (2)
29*	9-0078	BOLT, 1/4-20 x 1-1/4" Square Neck Cariage, Grade 2 (2)
30*	9-0598	WASHER, 1/4 SAE (2)
31**	1-4779	PIN, 5/16 Clevis
32**	1-4784	GRIP, Handle
33**	1-3113	COTTER, Hairpin
34*	9-0692	WASHER, 5/16 SAE (3)
35**	1-2867	COTTER, Hairpin
36*	9-0143	BOLT, 3/8-16 x 1-1/4" Hex Head Cap, Grade 5 (4)
37*	9-0118	WASHER, 3/8 Split Lock (4)
38*	9-0130	NUT, 3/8-16 Hex, Grade 5 (4)
39	1-4062	DECAL, Logo
40	1-4785	DECAL, Adjustment
41**	1-1780	RING, Spacer (2)
	6-0648	BAG, Hardware for 6-0600 (Incl *marked items)
••	6-0656	BAG, Hardware for 6-0656 (Incl **marked items)

6-0629 42" DOZER ATTACHMENT



ITEM	PART NO.	DESCRIPTION
1	5-7361	ASSEMBLY, 42' Blade (Includes items 2 thru 6)
2	4-0445	STRUCTURE, Slide (2)
3	3-8145	SCRAPER
4	4-7859	BLADE
5	9-0850	BOLT, 3/8-16 x 3/4" Square Neck Carriage, Gr. 2 (9)
6	9-0546	NUT, 3/8-16 Hex Center Lock, Grade B or 5 (9)
7	3-6113	BEAM, Front
8	3-6114	BEAM, Rear
9^	3-8147	PLATE, Front Hitch
10^	3-8148	BRACKET, Lift
11^	2-1940	ROLLER, Lift
12^	2-1941	PIN, Lift Roller
13^	4-0521	HITCH WELDMENT, Rear Yoke
14^	3-2390	PLATE, Side Support (2)
15^	1-4405	SPRING, Lift Assist (2)
16^	3-2391	PIN, Latch
17^	4-9718	STRUCTURE, Lift Yoke
18^	3-8152	ARM, Lift
19^	3-8150	LINK
20	2-1938	ROD, Operating
21^	3-2397	PLATE, Quadrant Lockout (Includes Items 22 thru 24)
22*	9-0803	BOLT, $1/4-20 \times 5/8$ " Flat Head Carriage (2)
23*	9-0063	NUT, 1/4-20 Hex (2)
24*	9-0053	WASHER, 1/4 Internal Tooth Lock (2)
25	3-2452	DRAWBAR, Short Auxilliary
26	1-3844	PIN, Hair Cotter (6)
27*	9-0563	SCREW, 3/8-3/8-16 x 1" Hex Head Cap, Grade 5 (14)
28*	9-0655	SCREW, 3/8-16 x 1-1/2" Hex head Cap, Grade 5 (2)
29*	9-0118	WASHER, 3/8 Split Lock (16)
30*	9-0122	WASHER, 3/8 Flat (2)
31*	9-0130	NUT, 3/8-16 Hex, Grade 5 (16)
32	9-0546	NUT, 3/8-16 Hex Center Lock, Grade B or 5 (2)
33*	9-0150	WASHER, 1/2 Flat (4)
34*	9-0017	SCREW, 1/2-20 x 2-3/4" Hex Head Cap
35*	9-0393	NUT, 1/2-20 Nyloc
36	9-0206	SCREW, 5/16-18 x 3/4" Hex Head Cap, Grade 2 (2)
37*	9-0187	WASHER, 5/16 Split Lock (2)
38*	9-0196	NUT, 5/16-18 Hex (2)
39	9-0747	BOLT, 3/8-16 x 1" Square Neck Carriage, Grade 2 (4)
40^	6-0634	BAG, Hardware (Includes * marked items)
41	6-0633	PARTS BOX for 6-0629 (Includes ^ marked items)



#6-0711 DRAW BAR EXTENSION KIT

ITEM	PART NO.	DESCRIPTION
1	3-8204	DRAWBAR, Long Auxilliary
2	3-2454	SUPPORT, Cross
3	9-0627	SCREW, 5/16-18 x 1-1/4" HHC Gr. 5 (4)
4	9-0187	WASHER, 5/16 Split Lock (4)
5	9-0196	NUT, 5/16-18 Hex (4)

Parts Manual for

SNAPPER® LT 12 & LT 16 SERIES 2 LAWN TRACTORS

SNAPPER McDonough, GA., 30253 U.S.A.

MANUAL No. 06514 (3/97 ISSUE) Printed in U.S.A.